



# Agro Testing

## CERTIFICATE OF ANALYSIS

**KIWA PAI**  
**The Inspire**  
**Hornbeam Square West**  
**Harrogate**  
**North Yorkshire**  
**HG2 8PA**

**Report Date** 24 January 2024  
**ATL Reference** A-KIW001/9/24-11  
**Date Received** 09 January 2024  
**Test Date** 09 January 2024  
**Purchase Order** not supplied  
**Sampled By** Samples as Received

Sample of: Fertilisers , Date |Time Taken: Unknown|Unknown

<b>Sample Information *</b>	Hanson Aggregates/Heidelberg Materials. Coarse screened limestone
<b>Batch Code</b>	Abergele Quarry AGL0051

<u>Method</u>	<u>Method Reference</u>	<u>Result</u>	<u>Unit</u>	<u>Status</u>
Moisture (Loss at 105°C)	010-002	2.2	% m/m	N

**Authorised By:** Rachel Finbow, Laboratory Analyst (Chemistry)



<u>Analysis Status</u>	<u>Code</u>
Analysis is UKAS accredited.	U
Analysis is not UKAS accredited.	N

\*Sample information as supplied by Customer.

Any opinions or interpretations are outside the scope of the Laboratory's UKAS accreditation.

This report shall not be reproduced, except in full, without the approval of Eurofins Agro Testing UK Ltd.

The results stated relate only to the samples as detailed and are expressed on as received basis, unless otherwise stated.

**Page 2 of 2**